

Century
SELF **LOCK**TM
Glazing System

PATENTED WORLDWIDE



SELF-LOCK
FANCY PRO

The World's Best
Selflock Glazing System




EP 1 651 838 B1

TECHNICAL INFO FOLDER

SELF-LOCK FANCY PRO

SELF-LOCK FANCY PRO – MILL FINISH

3M LENGTH - PART NO. 712.713.001




Matching EPDM Contour: **500.300.002**

Matching EPDM Lock: **Glass 6mm: 500.279.005 / No other glass thickness**

Matching end cap: **No end cap available**

SELF-LOCK FANCY PRO – ANODISED

3M LENGTH - PART NO. 712.713.002



Matching EPDM Contour: **500.300.002**


Matching EPDM Lock: **Glass 6mm: 500.279.005 / No other glass thickness**

Matching end cap: **No end cap available**

SELF-LOCK FANCY PRO

SELF-LOCK FANCY PRO – MILL FINISH

5.8M LENGTH - PART NO. 712.713.011




Matching EPDM Contour: **500.300.002**

Matching EPDM Lock: **Glass 6mm: 500.279.005 / No other glass thickness**

Matching end cap: **No end cap available**

SELF-LOCK FANCY PRO – ANODISED

5.8M LENGTH - PART NO. 712.713.012



Matching EPDM Contour: **500.300.002**

Matching EPDM Lock: **Glass 6mm: 500.279.005 / No other glass thickness**

Matching end cap: **No end cap available**

SELFLOCK FANCY PRO APPLICATIONS:
INTERIOR WALL CLADDING WITH MIRRORS OR LACQUERED GLASS



SALES AND DISTRIBUTION

SELFLOCK SYSTEMS NV
Oude Desselgemstraat, 32
B-8790 Waregem – Belgium – www.selflocksistemas.com